CLAIMS

What is claimed is:

- An electrolyte for copper electroplating, comprising:
 an electrolyte solution; and
- a composition comprising an organic acid and a nonionic polymer mixed with said organic acid provided in said electrolyte solution.
- 2. The electrolyte of claim 1 wherein said organic acid is citric acid or acetic acid.
- 3. The electrolyte of claim 1 wherein said non-ionic polymer is an alcohol, an amine or alkyphenol alkoxylate.
- 4. The electrolyte of claim 1 wherein said composition is present in said electrolyte solution in a concentration of about 5 % by weight.
- 5. The electrolyte of claim 1 wherein said non-ionic polymer has a molecular weight of less than 1,000.
- 6. The electrolyte of claim 5 wherein said organic acid is citric acid or acetic acid.

67,200-1168 2002-1268

- 7. The electrolyte of claim 1 wherein said organic acid is present in said composition in a wt.% of about 10, and wherein said ionic polymer is present in said composition in a wt.% of about 5.
- 8. The electrolyte of claim 7 wherein said organic acid is citric acid or acetic acid and said non-ionic polymer is an alcohol, an amine or alkyphenol alkoxylate.
 - 9. An electrolyte for copper electroplating, comprising: an electrolyte solution; and
- a composition comprising an organic acid and a nonionic polymer mixed with said organic acid provided in a suspension layer in said electrolyte solution.
- 10. The electrolyte of claim 9 wherein said organic acid is citric acid or acetic acid.
- 11. The electrolyte of claim 9 wherein said non-ionic polymer is an alcohol, an amine or alkyphenol alkoxylate.

67,200-1168 2002**-**1268

- 12. The electrolyte of claim 11 wherein said composition is present in said electrolyte solution in a concentration of about 5% by weight.
- 13. The electrolyte of claim 9 wherein said organic acid is present in said composition in a wt.% of about 10, and wherein said non-ionic polymer is present in said composition in a wt.% of about 5.
- 14. The electrolyte of claim 13 wherein said organic acid is citric acid or acetic acid.
- 15. The electrolyte of claim 13 wherein said non-ionic polymer is an alcohol, an amine or alkyphenol alkoxylate.
- 16. The electrolyte of claim 15 wherein said organic acid is citric acid or acetic acid.

67,200-1168 2002-1268

17. A method for electroplating a metal onto a surface in an electroplating electrolyte solution, comprising the steps of:

providing a composition mixture comprising an organic acid and a non-ionic polymer;

forming a suspension layer of said composition mixture in said solution;

forming a wetting layer on said surface by passing said surface through said suspension layer and into said solution; and electroplating said metal onto said surface.

- 18. The method of claim 17 wherein said organic acid is citric acid or acetic acid and said non-ionic polymer is an alcohol, an amine or alkyphenol alkoxylate.
- 19. The method of claim 17 wherein said organic acid is present in said composition in a wt.% of about 10, and wherein said ionic polymer is present in said composition in a wt.% of about 5.
- 20. The method of claim 17 further comprising a substrate and wherein said surface comprises a metal seed layer deposited on said substrate.